

Rough Openings



Custom Window Systems, Inc.

ROUGH OPENING SIZES FOR BLOCK CONSTRUCTION USING FIN WINDOWS

EXAMPLE: USING SIDING, STONE, OR BRICK ON EXTERIOR OF BLOCK

Series 3500 Single Hung Windows 2 X 4 Bucking, No Precast Sill

COMMODITY SIZES

SIZE CODE	WIDTH	HEIGHT
12	21 7/8	28 3/4
13	21 7/8	41 1/8
14	21 7/8	53 3/8
14-5	21 7/8	58 3/4
15	21 7/8	65 3/4
16	21 7/8	74 3/4
16-5	21 7/8	78 3/4
1H32	29 1/4	28 3/4
1H33	29 1/4	41 1/8
1H34	29 1/4	53 3/8
1H34-5	29 1/4	58 3/4
1H35	29 1/4	65 3/4
1H36	29 1/4	74 3/4
1H36-5	29 1/4	78 3/4
22	39 3/4	28 3/4
23	39 3/4	41 1/8
24	39 3/4	53 3/8
24-5	39 3/4	58 3/4
25	39 3/4	65 3/4
26	39 3/4	74 3/4
26-5	39 3/4	78 3/4
32	55 7/8	28 3/4
33	55 7/8	41 1/8
34	55 7/8	53 3/8
34-5	55 7/8	58 3/4
35	55 7/8	65 3/4
36	55 7/8	74 3/4
36-5	55 7/8	78 3/4
SIZE CODE	WIDTH	
TWIN		
1/2 WIDE	55 7/8	
2 WIDE	76 7/8	
3 WIDE	109 1/8	
TRIPLE		
1/2 WIDE	82 1/2	
2 WIDE	114	
3 WIDE	162 3/8	
QUAD		
2 WIDE	151 1/8	
3 WIDE	215 5/8	

MODULAR SIZES

SIZE CODE	WIDTH	HEIGHT
2024	27 1/4	31 1/4
2030	27 1/4	39 1/4
2038	27 1/4	47 1/4
2040	27 1/4	51 1/4
2044	27 1/4	55 1/4
2050	27 1/4	63 1/4
2060	27 1/4	75 1/4
2424	31 1/4	31 1/4
2430	31 1/4	39 1/4
2438	31 1/4	47 1/4
2440	31 1/4	51 1/4
2444	31 1/4	55 1/4
2450	31 1/4	63 1/4
2460	31 1/4	75 1/4
2824	35 1/4	31 1/4
2830	35 1/4	39 1/4
2838	35 1/4	47 1/4
2840	35 1/4	51 1/4
2844	35 1/4	55 1/4
2850	35 1/4	63 1/4
2860	35 1/4	75 1/4
3024	39 1/4	31 1/4
3030	39 1/4	39 1/4
3038	39 1/4	47 1/4
3040	39 1/4	51 1/4
3044	39 1/4	55 1/4
3050	39 1/4	63 1/4
3060	39 1/4	75 1/4
3424	43 1/4	31 1/4
3430	43 1/4	39 1/4
3438	43 1/4	47 1/4
3440	43 1/4	51 1/4
3444	43 1/4	55 1/4
3450	43 1/4	63 1/4
3460	43 1/4	75 1/4
3824	47 1/4	31 1/4
3830	47 1/4	39 1/4
3838	47 1/4	47 1/4
3840	47 1/4	51 1/4
3844	47 1/4	55 1/4
3850	47 1/4	63 1/4
3860	47 1/4	75 1/4
4024	51 1/4	31 1/4
4030	51 1/4	39 1/4
4038	51 1/4	47 1/4
4040	51 1/4	51 1/4
4044	51 1/4	55 1/4
4050	51 1/4	63 1/4
4060	51 1/4	75 1/4

SIZE CODE	WIDTH
TWIN	
20	51 7/8
24	59 7/8
28	67 7/8
30	75 7/8
34	83 7/8
38	91 7/8
40	99 7/8
TRIPLE	
20	76 1/2
24	88 1/2
28	100 1/2
30	112 1/2
34	124 1/2
38	136 1/2
40	148 1/2
QUAD	
20	101 1/4
24	117 1/4
28	133 1/4
30	149 1/4
34	165 1/4
38	181 1/4
40	197 1/4

Custom Window Systems, Inc.

Rough Opening Series 3500 Single Hung Commodity Sizes
Masonry using Flange Windows

Size	Width	Height
12	19 7/8	26
13	19 7/8	38 3/8
14	19 7/8	50 5/8
14-5	19 7/8	56
15	19 7/8	63
16	19 7/8	72
16-5	19 7/8	76
1H32	27 1/4	26
1H33	27 1/4	38 3/8
1H34	27 1/4	50 5/8
1H34-5	27 1/4	56
1H35	27 1/4	63
1H36	27 1/4	72
1H36-5	27 1/4	76
22	37 3/4	26
23	37 3/4	38 3/8
24	37 3/4	50 5/8
24-5	37 3/4	56
25	37 3/4	63
26	37 3/4	72
26-5	37 3/4	76
32	53 7/8	26
33	53 7/8	38 3/8
34	53 7/8	50 5/8
34-5	53 7/8	56
35	53 7/8	63
36	53 7/8	72
36-5	53 7/8	76
SIZE	Width	
Twin		
1/2 wide	53 7/8	
2 wide	74 7/8	
3 wide	107 1/8	
Triple		
1/2 wide	80 1/2	
2 wide	112	
3 wide	160 3/8	
Quad		
2 wide	149 1/8	
3 wide	213 5/8	

Custom Window Systems, Inc.

Rough Opening Series 3500 Single Hung Modular Sizes
Wood Frame (Butting Sill) using Fin Windows

Size	Width	Height
2024	23 3/4	27 3/4
2030	23 3/4	35 3/4
2038	23 3/4	43 3/4
2040	23 3/4	47 3/4
2044	23 3/4	51 3/4
2050	23 3/4	59 3/4
2060	23 3/4	71 3/4
2424	27 3/4	27 3/4
2430	27 3/4	35 3/4
2438	27 3/4	43 3/4
2440	27 3/4	47 3/4
2444	27 3/4	51 3/4
2450	27 3/4	59 3/4
2460	27 3/4	71 3/4
2824	31 3/4	27 3/4
2830	31 3/4	35 3/4
2838	31 3/4	43 3/4
2840	31 3/4	47 3/4
2844	31 3/4	51 3/4
2850	31 3/4	59 3/4
2860	31 3/4	71 3/4
3024	35 3/4	27 3/4
3030	35 3/4	35 3/4
3038	35 3/4	43 3/4
3040	35 3/4	47 3/4
3044	35 3/4	51 3/4
3050	35 3/4	59 3/4
3060	35 3/4	71 3/4
3424	39 3/4	27 3/4
3430	39 3/4	35 3/4
3438	39 3/4	43 3/4
3440	39 3/4	47 3/4
3444	39 3/4	51 3/4
3450	39 3/4	59 3/4
3460	39 3/4	71 3/4

Size	Width	Height
3824	43 3/4	27 3/4
3830	43 3/4	35 3/4
3838	43 3/4	43 3/4
3840	43 3/4	47 3/4
3844	43 3/4	51 3/4
3850	43 3/4	59 3/4
3860	43 3/4	71 3/4
4024	47 3/4	27 3/4
4030	47 3/4	35 3/4
4038	47 3/4	43 3/4
4040	47 3/4	47 3/4
4044	47 3/4	51 3/4
4050	47 3/4	59 3/4
4060	47 3/4	71 3/4
SIZE	Width	
Twin		
20 wide	48 3/8	
28 wide	64 3/8	
30 wide	72 3/8	
Triple		
30 wide	109	
Quad		
30 wide	145 5/8	

Custom Window Systems, Inc.

Rough Opening Series 3500 Single Hung Modular Sizes
Wood Frame (1/2" Tuck All Sides) Fin Windows

Size	Width	Height
2024	24 1/4	28 1/4
2030	24 1/4	36 1/4
2038	24 1/4	44 1/4
2040	24 1/4	48 1/4
2044	24 1/4	52 1/4
2050	24 1/4	60 1/4
2060	24 1/4	72 1/4
2424	28 1/4	28 1/4
2430	28 1/4	36 1/4
2438	28 1/4	44 1/4
2440	28 1/4	48 1/4
2444	28 1/4	52 1/4
2450	28 1/4	60 1/4
2460	28 1/4	72 1/4
2824	32 1/4	28 1/4
2830	32 1/4	36 1/4
2838	32 1/4	44 1/4
2840	32 1/4	48 1/4
2844	32 1/4	52 1/4
2850	32 1/4	60 1/4
2860	32 1/4	72 1/4
3024	36 1/4	28 1/4
3030	36 1/4	36 1/4
3038	36 1/4	44 1/4
3040	36 1/4	48 1/4
3044	36 1/4	52 1/4
3050	36 1/4	60 1/4
3060	36 1/4	72 1/4
3424	40 1/4	28 1/4
3430	40 1/4	36 1/4
3438	40 1/4	44 1/4
3440	40 1/4	48 1/4
3444	40 1/4	52 1/4
3450	40 1/4	60 1/4
3460	40 1/4	72 1/4
3824	44 1/4	28 1/4
3830	44 1/4	36 1/4
3838	44 1/4	44 1/4
3440	44 1/4	48 1/4
3444	44 1/4	52 1/4
3450	44 1/4	60 1/4
3460	44 1/4	72 1/4
4024	48 1/4	28 1/4
4030	48 1/4	36 1/4
4038	48 1/4	44 1/4
4040	48 1/4	48 1/4
4044	48 1/4	52 1/4
4050	48 1/4	60 1/4
4060	48 1/4	72 1/4

Custom Window Systems, Inc.

ROUGH OPENING SIZES FOR BLOCK CONSTRUCTION USING FLANGE WINDOWS

7000 Series Horizontal Roller Using 1 x 4 Buck

MODULAR SIZES

SIZE CODE	WIDTH	HEIGHT
2024	25 1/4	28 1/2
2030	25 1/4	36 1/2
2038	25 1/4	44 1/2
2040	25 1/4	48 1/2
2044	25 1/4	52 1/2
2050	25 1/4	60 1/2
2060	25 1/4	72 1/2
2424	29 1/4	28 1/2
2430	29 1/4	36 1/2
2438	29 1/4	44 1/2
2440	29 1/4	48 1/2
2444	29 1/4	52 1/2
2450	29 1/4	60 1/2
2460	29 1/4	72 1/2
2824	33 1/4	28 1/2
2830	33 1/4	36 1/2
2838	33 1/4	44 1/2
2840	33 1/4	48 1/2
2844	33 1/4	52 1/2
2850	33 1/4	60 1/2
2860	33 1/4	72 1/2
3024	37 1/4	28 1/2
3030	37 1/4	36 1/2
3038	37 1/4	44 1/2
3040	37 1/4	48 1/2
3044	37 1/4	52 1/2
3050	37 1/4	60 1/2
3060	37 1/4	72 1/2
3424	41 1/4	28 1/2
3430	41 1/4	36 1/2
3438	41 1/4	44 1/2
3440	41 1/4	48 1/2
3444	41 1/4	52 1/2
3450	41 1/4	60 1/2
3460	41 1/4	72 1/2
3824	45 1/4	28 1/2
3830	45 1/4	36 1/2
3838	45 1/4	44 1/2
3840	45 1/4	48 1/2
3844	45 1/4	52 1/2
3850	45 1/4	60 1/2
3860	45 1/4	72 1/2
4024	49 1/4	28 1/2
4030	49 1/4	36 1/2
4038	49 1/4	44 1/2
4040	49 1/4	48 1/2
4044	49 1/4	52 1/2
4050	49 1/4	60 1/2
4060	49 1/4	72 1/2

MODULAR SIZES

SIZE CODE	WIDTH	HEIGHT
4624	55 1/4	28 1/2
4630	55 1/4	36 1/2
4638	55 1/4	44 1/2
4640	55 1/4	48 1/2
4644	55 1/4	52 1/2
4650	55 1/4	60 1/2
4660	55 1/4	72 1/2
5024	61 1/4	28 1/2
5030	61 1/4	36 1/2
5038	61 1/4	44 1/2
5040	61 1/4	48 1/2
5044	61 1/4	52 1/2
5050	61 1/4	60 1/2
5060	61 1/4	72 1/2
5624	67 1/4	28 1/2
5630	67 1/4	36 1/2
5638	67 1/4	44 1/2
5640	67 1/4	48 1/2
5644	67 1/4	52 1/2
5650	67 1/4	60 1/2
5660	67 1/4	72 1/2
6024	73 1/4	28 1/2
6030	73 1/4	36 1/2
6038	73 1/4	44 1/2
6040	73 1/4	48 1/2
6044	73 1/4	52 1/2
6050	73 1/4	60 1/2
6060	73 1/4	72 1/2
Picture Slide Picture		
4020	49 1/4	24 1/2
4030	49 1/4	36 1/2
4040	49 1/4	48 1/2
4050	49 1/4	60 1/2
5020	61 1/4	24 1/2
5030	61 1/4	36 1/2
5040	61 1/4	48 1/2
5050	61 1/4	60 1/2
6020	73 1/4	24 1/2
6030	73 1/4	36 1/2
6040	73 1/4	48 1/2
6050	73 1/4	60 1/2
7020	85 1/4	24 1/2
7030	85 1/4	36 1/2
7040	85 1/4	48 1/2
7050	85 1/4	60 1/2
8020	97 1/4	24 1/2
8030	97 1/4	36 1/2
8040	97 1/4	48 1/2
8050	97 1/4	60 1/2

Picture Slide Picture		
9020	109 1/4	24 1/2
9030	109 1/4	36 1/2
9040	109 1/4	48 1/2
9050	109 1/4	60 1/2
10020	121 1/4	24 1/2
10030	121 1/4	36 1/2
10040	121 1/4	48 1/2
10050	121 1/4	60 1/2

Custom Window Systems, Inc.

ROUGH OPENING SIZES FOR BLOCK CONSTRUCTION USING FIN WINDOWS

7000 Series Horizontal Roller Using 2 x 4 Buck Tucking 1/2" Sheet Rock, No Precast Sill

MODULAR SIZES		
SIZE CODE	WIDTH	HEIGHT
2024	27 1/4	31 1/4
2030	27 1/4	39 1/4
2038	27 1/4	47 1/4
2040	27 1/4	51 1/4
2044	27 1/4	55 1/4
2050	27 1/4	63 1/4
2060	27 1/4	75 1/4
2424	31 1/4	31 1/4
2430	31 1/4	39 1/4
2438	31 1/4	47 1/4
2440	31 1/4	51 1/4
2444	31 1/4	55 1/4
2450	31 1/4	63 1/4
2460	31 1/4	75 1/4
2824	35 1/4	31 1/4
2830	35 1/4	39 1/4
2838	35 1/4	47 1/4
2840	35 1/4	51 1/4
2844	35 1/4	55 1/4
2850	35 1/4	63 1/4
2860	35 1/4	75 1/4
3024	39 1/4	31 1/4
3030	39 1/4	39 1/4
3038	39 1/4	47 1/4
3040	39 1/4	51 1/4
3044	39 1/4	55 1/4
3050	39 1/4	63 1/4
3060	39 1/4	75 1/4
3424	43 1/4	31 1/4
3430	43 1/4	39 1/4
3438	43 1/4	47 1/4
3440	43 1/4	51 1/4
3444	43 1/4	55 1/4
3450	43 1/4	63 1/4
3460	43 1/4	75 1/4
3824	47 1/4	31 1/4
3830	47 1/4	39 1/4
3838	47 1/4	47 1/4
3840	47 1/4	51 1/4
3844	47 1/4	55 1/4
3850	47 1/4	63 1/4
3860	47 1/4	75 1/4
4024	51 1/4	31 1/4
4030	51 1/4	39 1/4
4038	51 1/4	47 1/4
4040	51 1/4	51 1/4
4044	51 1/4	55 1/4
4050	51 1/4	63 1/4
4060	51 1/4	75 1/4

MODULAR SIZES		
SIZE CODE	WIDTH	HEIGHT
4624	57 1/4	31 1/4
4630	57 1/4	39 1/4
4638	57 1/4	47 1/4
4640	57 1/4	51 1/4
4644	57 1/4	55 1/4
4650	57 1/4	63 1/4
4660	57 1/4	75 1/4
5024	63 1/4	31 1/4
5030	63 1/4	39 1/4
5038	63 1/4	47 1/4
5040	63 1/4	51 1/4
5044	63 1/4	55 1/4
5050	63 1/4	63 1/4
5060	63 1/4	75 1/4
5624	69 1/4	31 1/4
5630	69 1/4	39 1/4
5638	69 1/4	47 1/4
5640	69 1/4	51 1/4
5644	69 1/4	55 1/4
5650	69 1/4	63 1/4
5660	69 1/4	75 1/4
6024	75 1/4	31 1/4
6030	75 1/4	39 1/4
6038	75 1/4	47 1/4
6040	75 1/4	51 1/4
6044	75 1/4	55 1/4
6050	75 1/4	63 1/4
6060	75 1/4	75 1/4
Picture Slide Picture		
4020	51 1/4	27 1/4
4030	51 1/4	39 1/4
4040	51 1/4	51 1/4
4050	51 1/4	63 1/4
5020	63 1/4	27 1/4
5030	63 1/4	39 1/4
5040	63 1/4	51 1/4
5050	63 1/4	63 1/4
6020	75 1/4	27 1/4
6030	75 1/4	39 1/4
6040	75 1/4	51 1/4
6050	75 1/4	63 1/4
7020	87 1/4	27 1/4
7030	87 1/4	39 1/4
7040	87 1/4	51 1/4
7050	87 1/4	63 1/4
8020	99 1/4	27 1/4
8030	99 1/4	39 1/4
8040	99 1/4	51 1/4
8050	99 1/4	63 1/4

Picture Slide Picture		
9020	111 1/4	27 1/4
9030	111 1/4	39 1/4
9040	111 1/4	51 1/4
9050	111 1/4	63 1/4
10020	123 1/4	27 1/4
10030	123 1/4	39 1/4
10040	123 1/4	51 1/4
10050	123 1/4	63 1/4

Custom Window Systems, Inc.

ROUGH OPENING SIZES FOR BLOCK CONSTRUCTION USING FIN WINDOWS 7000 Series Horizontal Roller Using 2 x 4 Buck Tucking 1/2" Sheet Rock

MODULAR SIZES

SIZE CODE	WIDTH	HEIGHT
2024	27 1/4	31 1/4
2030	27 1/4	39 1/4
2038	27 1/4	47 1/4
2040	27 1/4	51 1/4
2044	27 1/4	55 1/4
2050	27 1/4	63 1/4
2060	27 1/4	75 1/4
2424	31 1/4	31 1/4
2430	31 1/4	39 1/4
2438	31 1/4	47 1/4
2440	31 1/4	51 1/4
2444	31 1/4	55 1/4
2450	31 1/4	63 1/4
2460	31 1/4	75 1/4
2824	35 1/4	31 1/4
2830	35 1/4	39 1/4
2838	35 1/4	47 1/4
2840	35 1/4	51 1/4
2844	35 1/4	55 1/4
2850	35 1/4	63 1/4
2860	35 1/4	75 1/4
3024	39 1/4	31 1/4
3030	39 1/4	39 1/4
3038	39 1/4	47 1/4
3040	39 1/4	51 1/4
3044	39 1/4	55 1/4
3050	39 1/4	63 1/4
3060	39 1/4	75 1/4
3424	43 1/4	31 1/4
3430	43 1/4	39 1/4
3438	43 1/4	47 1/4
3440	43 1/4	51 1/4
3444	43 1/4	55 1/4
3450	43 1/4	63 1/4
3460	43 1/4	75 1/4
3824	47 1/4	31 1/4
3830	47 1/4	39 1/4
3838	47 1/4	47 1/4
3840	47 1/4	51 1/4
3844	47 1/4	55 1/4
3850	47 1/4	63 1/4
3860	47 1/4	75 1/4
4024	51 1/4	31 1/4
4030	51 1/4	39 1/4
4038	51 1/4	47 1/4
4040	51 1/4	51 1/4
4044	51 1/4	55 1/4
4050	51 1/4	63 1/4
4060	51 1/4	75 1/4

MODULAR SIZES

SIZE CODE	WIDTH	HEIGHT
4624	57 1/4	31 1/4
4630	57 1/4	39 1/4
4638	57 1/4	47 1/4
4640	57 1/4	51 1/4
4644	57 1/4	55 1/4
4650	57 1/4	63 1/4
4660	57 1/4	75 1/4
5024	63 1/4	31 1/4
5030	63 1/4	39 1/4
5038	63 1/4	47 1/4
5040	63 1/4	51 1/4
5044	63 1/4	55 1/4
5050	63 1/4	63 1/4
5060	63 1/4	75 1/4
5624	69 1/4	31 1/4
5630	69 1/4	39 1/4
5638	69 1/4	47 1/4
5640	69 1/4	51 1/4
5644	69 1/4	55 1/4
5650	69 1/4	63 1/4
5660	69 1/4	75 1/4
6024	75 1/4	31 1/4
6030	75 1/4	39 1/4
6038	75 1/4	47 1/4
6040	75 1/4	51 1/4
6044	75 1/4	55 1/4
6050	75 1/4	63 1/4
6060	75 1/4	75 1/4
Picture Slide Picture		
4020	52	28 1/4
4030	52	40 1/4
4040	52	52 1/4
4050	52	64 1/4
5020	64	28 1/4
5030	64	40 1/4
5040	64	52 1/4
5050	64	64 1/4
6020	76	28 1/4
6030	76	40 1/4
6040	76	52 1/4
6050	76	64 1/4
7020	88	25 1/4
7030	88	40 1/4
7040	88	52 1/4
7050	88	64 1/4
8020	100	28 1/4
8030	100	40 1/4
8040	100	52 1/4
8050	100	64 1/4

Picture Slide Picture		
9020	112	28 1/4
9030	112	40 1/4
9040	112	52 1/4
9050	112	64 1/4
10020	124	28 1/4
10030	124	40 1/4
10040	124	52 1/4
10050	124	64 1/4

Custom Window Systems, Inc.

Series 9000 SGD Rough Opening Masonary

Config.	Size	Width	Height
2P3T (XX)	5068	62 1/8	81
	6068	74 1/8	81
	8068	98 1/8	81
3P3T (XXX)	9068	108 7/16	81
	12068	144 7/16	81
4P-4T (XXXX)	10068	118 3/4	81
	12068	142 3/4	81
	16068	190 3/4	81
2P3T (OXXO)	5068	62 1/8	81
	6068	74 1/8	81
	8068	98 1/8	81
3P3T (OXO)	9068	111 3/16	81
	12068	147 3/16	81
4P3T (OXXO) (XXXX)	10068	121 1/2	81
	12068	145 1/2	81
	16068	193 1/2	81

Series 9000 SGD Rough Opening Wood Frame

Config.	Size	Width	Height
2P3T (XX)	5068	60 5/8	80 1/4
	6068	72 5/8	80 1/4
	8068	96 5/8	80 1/4
3P3T (XXX)	9068	106 15/16	80 1/4
	12068	142 15/16	80 1/4
4P-4T (XXXX)	10068	117 1/4	80 1/4
	12068	141 1/4	80 1/4
	16068	189 1/4	80 1/4
2P3T (OXXO)	5068	60 5/8	80 1/4
	6068	72 5/8	80 1/4
	8068	96 5/8	80 1/4
3P3T (OXO)	9068	109 11/16	80 1/4
	12068	145 11/16	80 1/4
4P3T (OXXO) (XXXX)	10068	120	80 1/4
	12068	144	80 1/4
	16068	192	80 1/4

Config.	Size	Width	Height
2P3T (XX)	5080	62 1/8	97
	6080	74 1/8	97
	8080	98 1/8	97
3P3T (XXX)	9080	108 7/16	97
	12080	144 7/16	97
4P-4T (XXXX)	10080	118 3/4	97
	12080	142 3/4	97
	16080	190 3/4	97
2P3T (OXXO)	5080	62 1/8	97
	6080	74 1/8	97
	8080	98 1/8	97
3P3T (OXO)	9080	111 3/16	97
	12080	147 3/16	97
4P3T (OXXO) (XXXX)	10080	121 1/2	97
	12080	145 1/2	97
	16080	193 1/2	97

Config.	Size	Width	Height
2P3T (XX)	5080	60 5/8	96 1/4
	6080	72 5/8	96 1/4
	8080	96 5/8	96 1/4
3P3T (XXX)	9080	106 15/16	96 1/4
	12080	142 15/16	96 1/4
4P-4T (XXXX)	10080	117 1/4	96 1/4
	12080	141 1/4	96 1/4
	16080	189 1/4	96 1/4
2P3T (OXXO)	5080	60 5/8	96 1/4
	6080	72 5/8	96 1/4
	8080	96 5/8	96 1/4
3P3T (OXO)	9080	109 11/16	96 1/4
	12080	145 11/16	96 1/4
4P3T (OXXO) (XXXX)	10080	120	96 1/4
	12080	144	96 1/4
	16080	192	96 1/4

Custom Window Systems, Inc.

Series 9200 SGD
Rough Opening Masonary

Series 9200 SGD
Rough Opening Wood Frame

Config.	Size	Width	Height
2P3T (XX)	5068	61 3/4	81
	6068	73 3/4	81
	8068	97 3/4	81
3P3T (XXX)	9068	108 5/16	81
	12068	144 5/16	81
4P-4T (XXXX)	10068	118 7/8	81
	12068	142 7/8	81
	16068	190 7/8	81
2P3T (OXXO)	5068	61 3/4	81
	6068	73 3/4	81
	8068	97 3/4	81
3P3T (OXO)	9068	110 5/16	81
	12068	146 5/16	81
4P3T (OXXO) (XXXX)	10068	120 7/8	81
	12068	144 7/8	81
	16068	192 7/8	81

Config.	Size	Width	Height
2P3T (XX)	5068	60 1/4	80 1/4
	6068	72 1/4	80 1/4
	8068	96 1/4	80 1/4
3P3T (XXX)	9068	106 13/16	80 1/4
	12068	142 13/16	80 1/4
4P-4T (XXXX)	10068	117 3/8	80 1/4
	12068	141 3/8	80 1/4
	16068	189 3/8	80 1/4
2P3T (OXXO)	5068	60 1/4	80 1/4
	6068	72 1/4	80 1/4
	8068	96 1/4	80 1/4
3P3T (OXO)	9068	108 13/16	80 1/4
	12068	144 13/16	80 1/4
4P3T (OXXO) (XXXX)	10068	119 3/8	80 1/4
	12068	143 3/8	80 1/4
	16068	191 3/8	80 1/4

Config.	Size	Width	Height
2P3T (XX)	5080	61 3/4	97
	6080	73 3/4	97
	8080	97 3/4	97
3P3T (XXX)	9080	108 5/16	97
	12080	144 7/16	97
4P-4T (XXXX)	10080	118 7/8	97
	12080	142 7/8	97
	16080	190 7/8	97
2P3T (OXXO)	5080	61 3/4	97
	6080	73 3/4	97
	8080	97 3/4	97
3P3T (OXO)	9080	110 5/16	97
	12080	146 5/16	97
4P3T (OXXO) (XXXX)	10080	120 7/8	97
	12080	144 7/8	97
	16080	192 7/8	97

Config.	Size	Width	Height
2P3T (XX)	5080	60 1/4	96 1/4
	6080	72 1/4	96 1/4
	8080	96 1/4	96 1/4
3P3T (XXX)	9080	106 13/16	96 1/4
	12080	142 13/16	96 1/4
4P-4T (XXXX)	10080	117 3/8	96 1/4
	12080	141 3/8	96 1/4
	16080	189 3/8	96 1/4
2P3T (OXXO)	5080	60 1/4	96 1/4
	6080	72 1/4	96 1/4
	8080	96 1/4	96 1/4
3P3T (OXO)	9080	108 13/16	96 1/4
	12080	144 13/16	96 1/4
4P3T (OXXO) (XXXX)	10080	119 3/8	96 1/4
	12080	143 3/8	96 1/4
	16080	191 3/8	96 1/4